



HARD VERGE DETAIL
(SCALE 1:10)

NOTES:

1. ALL DIMENSIONS ARE IN MILLIMETRES UNLESS STATED OTHERWISE.
2. THIS DRAWING SHALL BE READ IN CONJUNCTION WITH HST/1100/002.
3. THIS DRAWING SHALL BE READ IN CONJUNCTION WITH HST/1100/043.
4. ALL CONCRETE BLOCKS SHALL COMPLY WITH BS EN 1338:2003
5. THE COLOUR OF CONCRETE BLOCKS SHALL BE APPROVED BY THE OVERSEEING ORGANIZATION. RED COLOUR PREFERRED FOR EDGE STRIPS.
6. BLOCK PAVING SHALL BE LAID IN STRETCHER BOND.
7. TOPSOIL SHALL BE COMPLY IN ACCORDANCE WITH APPENDIX 30/1 IN WORK SPECIFICATION.
8. KERB TO BE FOUNDED ON EXTENDED SUB-BASE LAYER OR AS AGREED BY OVERSEEING ORGANISATION.
9. DEPTH OF TYPE 1 TO SUIT EXCAVATION AND COMPACTED IN 150mm THICK LAYERS.



COUNTY HALL
Pegs Lane
Hertford, Herts
SG13 8DN
Phone: 01992 555555

Revisions

- | | | |
|-----|--------|----------------|
| A - | FEB 20 | REVISED DETAIL |
| B - | AUG 23 | UPDATED DETAIL |
| C - | | |

Drawing Title

ROUNDABOUT HARD VERGE DETAIL

Dwg No: HST/1100/008

Scale at A4 : 1:10

Drawn	Approved	Revised
YS	HH	A
Checked	Date	Date
KK	JULY 11	FEB 20