



**FOOTWAY TYPE 3**  
(SCALE 1:10)

**NOTES:**

1. FOR SURFACE COURSE REFER TO PD 6691 TABLE B.16. PSV COARSE AGGREGATE 45 MIN.
2. FOR SURFACE COURSE REGULATING OPTION 1 REFER TO PD 6691 TABLE B.16
3. FOR SURFACE COURSE REGULATING OPTION 2 REFER TO TABLE B.14
4. FOR BINDER COURSE REGULATING REFER TO PD 6691 TABLE B.11
5. TOTAL THICKNESS VARIES BETWEEN 20MM TO 125MM. SEE WORK ORDER FOR TOTAL THICKNESS.



COUNTY HALL  
Pegs Lane  
Hertford, Herts  
SG13 8DN  
Phone: 01992 555555

| Revisions |        |                |
|-----------|--------|----------------|
| A -       | FEB 20 | REVISED DETAIL |
| B -       |        |                |
| C -       |        |                |

Drawing Title  
**FOOTWAY TYPE 3  
OVERLAY AND REGULATING TO  
EXISTING FLEXIBLE FOOTWAY  
AND/OR CYCLEWAY**

|                      |                 |                |
|----------------------|-----------------|----------------|
| Dwg No: HST/1100/024 |                 |                |
| Scale at A4 : 1:10   |                 |                |
| Drawn<br>YS          | Approved<br>HH  | Revised<br>A   |
| Checked<br>KK        | Date<br>JULY 11 | Date<br>FEB 20 |