


Area of Sign (s) m²

Hc (m)	Area of Sign (s) m ²												Hc (m)																												
	3.01 - 3.5		3.51 - 4.0		4.01 - 4.5		4.51 - 5.0		5.01 - 5.5		5.51 - 6.0			6.01 - 6.5		6.51 - 7.0		7.01 - 7.5		7.51 - 8.0		8.01 - 8.5		8.51 - 9.0																	
2.51 - 2.75	1 168	2 140	3 114	LB 140	1 168	2 140	3 114	LB 140	1 168	2 140	3 114	LB 140	1 194	2 140	3 140	LB 140	1 194	2 140	3 140	LB 140	1 194	2 168	3 140	LB 140	1 219	2 168	3 140	LB 140	1 219	2 168	3 140	LB 140	1 219	2 168	3 140	LB 140	2.51 - 2.75				
2.26 - 2.5	1 140	2 114	3 114	LB 140	1 168	2 140	3 114	LB 140	1 168	2 140	3 114	LB 140	1 168	2 140	3 114	LB 140	1 194	2 140	3 140	LB 140	1 194	2 140	3 140	LB 140	1 194	2 168	3 140	LB 140	1 194	2 168	3 140	LB 140	1 219	2 168	3 140	LB 140	1 219	2 168	3 140	LB 140	2.26 - 2.5
2.01 - 2.25	1 140	2 114	3 114	LB 114	1 140	2 114	3 114	LB 114	1 168	2 140	3 114	LB 114	1 168	2 140	3 114	LB 140	1 168	2 140	3 114	LB 140	1 194	2 140	3 140	LB 140	1 194	2 140	3 140	LB 140	1 194	2 168	3 140	LB 140	1 219	2 168	3 140	LB 140	2.01 - 2.25				
1.76 - 2.0	1 140	2 114	3 89	LB 114	1 140	2 114	3 114	LB 114	1 140	2 114	3 114	LB 114	1 168	2 140	3 114	LB 114	1 168	2 140	3 114	LB 140	1 168	2 140	3 114	LB 140	1 194	2 140	3 140	LB 140	1 194	2 140	3 140	LB 140	1 194	2 168	3 140	LB 140	1.76 - 2.0				
1.51 - 1.75	1 140	2 114	3 89	LB 114	1 140	2 114	3 89	LB 114	1 140	2 114	3 114	LB 114	1 168	2 140	3 114	LB 114	1 168	2 140	3 114	LB 140	1 168	2 140	3 114	LB 140	1 194	2 140	3 140	LB 140	1 194	2 140	3 140	LB 140	1 194	2 168	3 140	LB 140	1.51 - 1.75				
1.26 - 1.5	1 140	2 114	3 89	LB 89	1 140	2 114	3 89	LB 89	1 140	2 114	3 89	LB 89	1 140	2 114	3 114	LB 114	1 140	2 114	3 114	LB 114	1 168	2 140	3 114	LB 114	1 168	2 140	3 114	LB 114	1 168	2 140	3 114	LB 114	1 168	2 140	3 114	LB 114	1.26 - 1.5				
1.01 - 1.25	1 114	2 89	3 76	LB 76	1 114	2 114	3 76	LB 76	1 114	2 114	3 89	LB 76	1 140	2 114	3 89	LB 76	1 140	2 114	3 114	LB 76	1 140	2 114	3 114	LB 76	1 140	2 114	3 89	LB 89	1 168	2 140	3 114	LB 89	1 168	2 140	3 114	LB 89	1.01 - 1.25				
	3.01 - 3.5		3.51 - 4.0		4.01 - 4.5		4.51 - 5.0		5.01 - 5.5		5.51 - 6.0		6.01 - 6.5		6.51 - 7.0		7.01 - 7.5		7.51 - 8.0		8.01 - 8.5		8.51 - 9.0																		


Area of Sign (s) m²



Post sockets are to be 25mm to 70mm greater diameter than the proposed post and the void filled with 3mm grit or kiln dried sharp sand up to 100mm from the top of the socket. The top 100mm is to be filled with rapid set cement mortar. Sockets may be fabricated from PVC, MDPE, concrete or earthenware

FOUNDAT'N TYPE	A	B	C	D	E	F	G	H	I
LENGTH L (mm)	450	700	800	1000	900	1300	1200	1800	1800
WIDTH W (mm)	450	500	500	500	500	500	600	600	600
DEPTH D (mm)	600	600	700	800	900	900	1000	1000	1200

ALL DIMENSIONS ARE MINIMUM REQUIREMENT, THUS LENGTH OF FOUNDATION CAN BE INCREASED TO SUIT MORE THAN ONE POSTS ARRANGEMENT



Notes

A	Various drawing revisions	AS	RC	DOK	06/21
	Description	Dwn	Chk	App	Date

IWP No.	N/A			
CAD	Drawn	Checked	Approved	
Initials	JLE	JLE	SLR	ADS
Date	07/11	07/11	07/11	07/11
Sht No.	1 OF 1			
Scales	NTS			

Drg. No.	HST-1200-0006		Rev.	A
Project Title	HCC STANDARD DETAIL DRAWINGS			
Drawing Title	POST & FOUNDATION SIZES FOR SIGN UP TO 3m2 TO 9m2 (PART 1)			

